




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F	A2	(11) International Publication Number: WO 00/23864 (43) International Publication Date: 27 April 2000 (27.04.00)
(21) International Application Number: PCT/US99/24633 (22) International Filing Date: 20 October 1999 (20.10.99) (30) Priority Data: 60/105,228 21 October 1998 (21.10.98) US 09/327,107 7 June 1999 (07.06.99) US (71)(72) Applicant and Inventor: LANG, Brook [US/US]; Suite A, 10635 N.E. 38th Place, Kirkland, WA 98033 (US). (74) Agent: CRAINE, Dean, A.; Suite 140, 400-112th Avenue, N.E., Bellevue, WA 98004-5542 (US).		(81) Designated States: AT, AU, BR, CA, CN, DE, DK, ES, FI, GB, JP, KP, MX, NO, NZ, PT, SE, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>Without international search report and to be republished upon receipt of that report.</i>

(54) Title: METHOD OF LOCALIZED NETWORK MARKETING**(57) Abstract**

A method of advertising to mobile users of an electronic device (15) linked to a wide area network (8). The method enables advertisers to more effectively target their advertisements to mobile users (8) using a user file (65) that includes their electronic device ID information, their past, current network connection activity, and the past, current or anticipated physical locations. The method includes the first step of obtaining the device's ID information when connected to the wide area network (8). Next, information regarding the network connection activity of the electronic device (15) or the user (8) over the wide area network (8) is obtained. Next, the past, current or anticipated physical locations of the electronic device (15) when connected to the wide area network (8) are determined. Other personal data regarding the principle user of the electronic device (15) may also be added to the user file (65) to further target specific users. All of this information is then collected by a database generator to create a user file (65), which may then be distributed to advertisers. Based on the user file information, selective advertisements from the advertisers may be transmitted to targeted users over the wide area network (8) to their electronic devices (15).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

5 **TITLE: METHOD OF LOCALIZED NETWORK MARKETING**

TECHNICAL FIELD

 The present invention relates generally to the field of marketing and
10 advertising, and more particularly, to a method of marketing and advertising wherein
an advertiser desires to promote its goods or services to a targeted group of consumers
who use a computer linked to a wide area network.

BACKGROUND ART

15

 Most advertising schemes attempt to improve the cost effectiveness of
advertising by first identifying their customers and then targeting their advertisements
to them. Today, it is desirable for advertisers to use the same tactics to target users
connected to a wide area network, such as the INTERNET.

20 In order to effectively target advertisements to users of computers connected
to a wide area network, the advertisers must use some method to deliver
advertisements. After a delivery scheme has been adopted, the advertisers must use
some distinguishing criteria, such as age, gender, occupation, hobbies, Other interests,
purchases, etc. to identify and sort out potential customers.

25 It is well known that information regarding the web sites visited or items
purchased by a computer user connected to the wide area network may be used to
identify potential customers. One common method used to identify prior visitors of a
particular web site is for the network server to generate and transmit a "cookie" to the
user's computer when the user visits a web site for the first time. Later when the user
30 returns to the web site, the network server detects the "cookie" and regards the user as
a return visitor. With this information, the network server can then transmit new data
or advertisements to the user not originally transmitted to the user in the first visit.

 Ideally, it is desirable to know the network address of the user's computer so
that advertisements may be transmitted directly to the computer when connected to the
35 wide area network. If the user has established a permanent account setup at a network
service provider, also known as an Internet Service Provider (a.k.a. ISP), a permanent
numerical address (called an Internet Protocol Address, a.k.a. IP) is assigned to the

5 user. In some instances, personal information about the user or users of the computer is also given to the ISP. Every time the user uses a computer to connect to the wide area network, the user's computer is identified by the user's IP. If a permanent account has not been set up by a network service provider, the user must use a client software program, such as AMERICA ON-LINE 4.0, which contains account information and a
10 log-on password which are downloaded to a central server each time the user connects to the network. With each "log-on" connection, a temporary, numerical address is assigned to the user's computer by the network's server. In either situation, the electronic device's identification information or the numerical address is obtained. The electronic device's identification information and personal information about the user,
15 of course, would be useful to advertisers so that they could deliver their advertisements to the users.

More recently, wireless network services have become available which enable users to use their mobile electronic devices to connect to the wide area network while they are travelling. Information regarding the specific location of these electronic
20 devices when connected to the wide area network would be desirable so that local advertisers may use this location information to more effectively target their advertisements to their users.

DISCLOSURE OF THE INVENTION

25

It is an object of the present invention to provide a method of marketing goods or services to users connected to a wide area network, via a mobile electronic device. It is another object of the present invention to provide such a method of marketing that enables advertisers to more specifically target their advertising to such users or their
30 electronic devices according to the web sites or files previously visited on the wide area network.

It is a further object of the invention to provide such a method of advertising that enables advertisers to more effectively target customers by using the past, present, and future physical locations of their customers when connected to the wide area
35 network. These and other objects of the invention are met by an improved method of marketing to users of mobile computers or similar electronic devices linked to a wide area network. By using this method, advertisers are able to more effectively target

5 their advertisements to users of the electronic devices according to their past web sites or files visited on the wide area network and their past, present, and anticipated future physical locations when connected to the wide area network.

 The improved method includes the first step of identifying the electronic device connected to a wide area network. This information, known as the computer's ID
10 information, may be the computer's permanent or temporary numerical address when connected to the wide area network or some other information closely associated to the computer or electronic device, such as the telephone number used to connect to the wide area network.

 Next, the physical location of the electronic device when connected to the wide
15 area network is obtained using a physical location detection means coupled to the computer or electronic device. In the embodiments described herein, the physical location detection may be a cellular telephone network, GPS system, or a ground based communication transmission system coupled to the computer or electronic device.

20 Next, information regarding the web sites or files visited over the wide area network by the user of the electronic device is obtained. Such information may be obtained by searching for "cookies" on the electronic device or by reviewing the network activity records on the user's network service provider server.

 All of the above information is then collected by a database generator to create
25 a user file. When a plurality of user files are created, the database generator transmits ads to selected users of electronic devices over the wide area network for a particular advertiser, or delivers all or selected portions of the database to advertisers to transmit advertisements themselves over the wide area network to these users. In each delivery scheme, the advertisements transmitted to targeted users are based on their electronic
30 device's ID identification information, the electronic device's or user's network activities on the wide area network and the past, present or future physical locations of the electronic device or user when connected to the wide area network. In addition, the actual name of the user may be used and added to the user file. Other personal information about the user, such as name, gender, age, occupation, marital status, etc.,
35 may also be collected and added to the user file to further target the users.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a flow chart diagram of the marketing method disclosed herein using a mobile electronic device connected to a wide area network via a wireless communication system and a server connected to the wide area network and operated by the data generator showing the creation of user files.

Fig. 2 is a flow chart diagram of the marketing method shown in Fig. 1, showing the direct transmission of advertisements from advertisers to targeted users of electronic devices connected to the wide area network.

Fig. 3 is a flow chart diagram of the marketing method shown in Fig. 1, showing the transmission of advertisements by the data generator to targeted users of electronic devices connected to the wide area network.

BEST MODE FOR CARRYING OUT THE INVENTION

Referring to Figs. 1-3, there is shown a method of marketing to a plurality of users 10, 10', 10" which use an electronic device, such as a laptop, 15, 15', 15", respectively, to connect to a wide area network 8 while travelling. In the embodiment shown herein, each laptop 15, 15', 15" is connected to a wireless modem 18, 18', 18" capable of connecting to a wireless telephone network 30, 30', 30" respectively. Each wireless telephone network 30, 30', 30" may be connected to a wide area network 8 to which a central server 50 is also connected. The wireless telephone networks 30, 30', 30" may connect to the wide area network 8 via a land line or wireless communication connection, generally referenced as 35, 35' and 35".

Each laptop 15, 15', 15" is also coupled to a physical location indicating means 20, 20', 20", respectively. When each laptop 15, 15', 15" is connected through the wide area network 8 to the central server 50, the physical location indicating means 20, 20', 20" simultaneously transmits data informing the central server 50 of the physical location of the laptop 15, 15', 15" at that moment. In the preferred embodiment, the physical location indicating means is a Global Positioning Satellite receiver, which receives global coordinate information from overhead satellites. Loaded into the laptop 15, 15', 15" is a software program 36, 36', 36" which transmits the present or past coordinate information from the receiver to the central server 50 when connected

5 thereto.

The Global Positioning System (GPS) is a location system based on a constellation of twenty-four satellites orbiting the earth at altitudes of approximately 11,000 miles. The GPS satellites provide accurate positioning information twenty-four hours per day, anywhere in the world. GPS uses a receiver which stores orbit
10 information at all GPS satellites. During use, a land based receiver determines the time and the positions of the overhead satellites and then calculates the amount of time it takes a GPS radio signal to travel from the satellites to the receiver. By measuring the amount of time it takes for a radio signal to travel from the satellites, the exact location of the GPS receiver can be determined. GPS receivers are available from Corvallis
15 Microtechnology, Inc., in Corvallis, Oregon. It should be understood however, that other means for determining the user's physical location may be used, such as the user's telephone number or area code information.

The first step in the marketing method disclosed herein is identifying the laptop 15, 15', 15" when connected to the wide area network 8. This is accomplished by
20 determining the electronic device's D information 52. If the central server 50 is also the user's network service provider to the wide area network 8 and a previously established account has been set up on the central server 50, the numerical or temporary address assigned to the user 10 by the service provider may be used as the electronic device's ID information 52. If the laptop 15, 15', 15" does not have a
25 previously established account on the central server 50, a client software program, denoted 22 in Fig. 1, supplied by the operator of the central server 50, must be loaded into the laptop 15, 15' or 15" and used to connect it to the central server 50. During use, the user's personal information is entered into the client software program 22 by the user 10 which is automatically transmitted to the central server 50 when the user
30 10 connects to the central server 50 over the wide area network 8. The central server 50 then temporarily assigns the electronic device D information 52 to the laptop 15.

Next, network activity information 53 regarding the web sites or files visited by the user 10 using the laptop 15 over the wide area network 8 is compiled. Such network activity information 53 may be obtained from the client software program 22
35 initially used to log on to the central server 50, or from additional forms and questionnaires submitted by the user 10, or by monitoring the network connection initially used to log on to the central server 50, or from additional forms and

5 questionnaires submitted by the user 10, or by monitoring the network connection activity when the central server 50 acts as the user's network service provider. Information regarding the web sites visited by the user 10 using the laptop 15 may also be obtained by reviewing "cookies" stored on the laptop 15 when connected to the central server 50.

10 When each user 10, 10', 10" uses their laptop 15, 15', 15", respectively, to connect to the central server 50, the past and present physical location information 54 of the laptop 15, 15', 15" when connected to the wide area network is automatically downloaded to the central server 50 using the physical location means 20, 20', 20", discussed above. Future physical location information 54 can also be obtained by
15 reviewing prior network connection information on the central server 50 or from information submitted by the user 10.

All of the above information 52, 53, 54 is collected from the central server 50 by a database generator 60. Additional personal user information 56 (i.e. age, gender, education, occupation, hobbies, etc.) regarding the user 10, 10', 10" may also be obtained from other
20 sources and collected by the database generator 60. All of this information is collected by the database generator 60 to create a user file 65, 65', 65" for each user 10, 10', 10", respectively. When a sufficiently large number of user files 65, 65', 65" have been created, the database generator 60 may contact potential advertisers 70 interested in sending advertisements 75 to targeted users 10 or laptops 15 based on the information contained in these user files 65, 65',
25 65", respectively.

As shown in Figs. 2 and 3, the advertisers 70 may hire the database generator 60 to transmit their advertisements 75 to targeted users 10, 10', 10" or laptops 15, 15', 15" or may purchase selected user files 65, 65', 65" from the database generator 60 and transmit the advertisements 75 directly themselves to the targeted users 10, 10', 10" or
30 laptops 15, 15', 15" over the wide area network.

The following two examples illustrate how the method is to be used:

Example 1

An automobile dealership in Seattle, Washington, wants to sell more automobiles. It currently has a web site on a wide area network, such as the
35 INTERNET, which offers automobiles for sale to its visitors. Very few automobiles to date, have been sold through its web site. Studies indicate that more than 95% of its sales are to customers located within twenty-five miles of the business. It knows

5 however, that approximately 5% of its sales are to customers who live outside the
twenty-five mile radius but who, nevertheless, make the long trip to the dealership to
purchase an automobile. In the Seattle area, 70% of the homes are connected to the
INTERNET, 20% of the adults are connected to the INTERNET via a wireless
communication network, and over 50% of the adults have cellular telephones. Many
10 mobile computer users connect to the INTERNET via a wireless network. Connected
to the INTERNET is a network server which collects the user's ID information from
third parties or by individuals who visit the web site. The network server also has
means to collect physical location information and the network activity information
when they are connected to the INTERNET. A database generator is able to gather
15 this information from the network server and create user files.

In order to sell more automobiles, the dealership generates a list of past visitors
to its web site. Each time an individual visits the web site, they are required to log on
by submitting their name, physical address, and e-mail address. When connection is
made to their web site, the auto dealership's network server sends a cookie to the
20 visitor's computer identifying it as a past visitor.

The dealership produces advertisements which it wants to transmit to each past
visitor of its web site when they are within two miles of the dealership. In order to do
so, the dealership contacts the database generator and requests the user files of past
visitors. These past visitors are identified by their e-mail address. Using this
25 information, the database generator is able to transmit advertisements for the
dealership to past visitors of the dealership's web site when they are within two miles
of the dealership and connected to the INTERNET.

Example 2

Tom is married, an avid golfer and likes Italian food. He is also a salesman who
30 travels daily in his automobile servicing his clients located in a one-hundred mile radius
from his home. Located in his automobile is a laptop computer with a wireless modem
that enables Tom to connect to the INTERNET via a wireless ISP (Internet Service
Provider). A GPS receiver is also connected to Tom's laptop computer. The central
server for the ISP is able to receive location information from the GPS receiver so that
35 the physical location of the laptop computer may be immediately determined by the
central server when Tom is connected to the INTERNET.

When Tom initially enters his automobile and starts his laptop computer, the

8

5 laptop computer automatically connects to the INTERNET using the wireless ISP.
Since Tom has previously set up his account on the ISP, the central server immediately
knows Tom's user ID information and begins to receive real time location information
via the GPS receiver connected to Tom's laptop computer. As Tom travels during the
day, the central server sends advertisements to Tom's laptop computer based on his
10 user ID information, the physical location information and the network activity
information, all contained in Tom's user file collected from the central server by the
database generator.

In compliance with the statute the invention described herein has been
described in language more or less specific as to structural features. It should be
15 understood, however, that the invention is not limited to the specific features shown,
since the means and construction shown comprised only the preferred embodiments for
putting the invention into effect. The invention is therefore claimed in any of its forms
or modifications within the legitimate and valid scope of the amended claims,
appropriately interpreted in accordance with the doctrine of equivalents.

20

INDUSTRIAL APPLICABILITY

This invention will have wide application in industries that sell advertising and
service connection to a wide area network, such as the INTERNET. More particularly,
25 this invention will have application with motor vehicle manufacturers who sell
electronic devices in their automobiles with a wireless communication device capable
of connecting to the wide area network.

30

35

CLAIMS

5

I claim:

1. A method of marketing to users of electronic device (15) connected via a wireless connection to a wide area network (8), comprising the following steps:
 - 10 a. identifying an electronic device (15) connected to a wide area network (8);
 - b. determining the physical location of said electronic device (15) when connected to said wide area network (8);
 - c. creating a user file containing the identity and physical location information of said electronic device (15);
 - 15 d. selecting advertising material (75) to be sent to said electronic device (15);and
 - e. transmitting said advertising material (75) to said electronic device (15) over said wide area network (8) using the identity and physical location in said user file (65).
- 20 2. A method of advertising as recited in Claim 1, wherein step (b) is carried out using physical location information transmitted by said electronic device (15) when connected to said wide area network (8).
- 25 3. A method of marketing, as recited in Claim 2, wherein the step (b) of determining the physical location of said electronic device (15) is accomplished using a global positioning satellite system (20) which provides global coordinate information of said electronic device (15) when connected to said wide area network (8).
- 30 4. A method of marketing, as recited in Claim 1, wherein said step (b) is carried out by a wireless modem (18) connected to said electronic device (15) and a cellular telephone system capable of determining the physical location of said wireless modem (18) used to connect said electronic device (15) to said wireless telephone network.
- 35 5. A method of marketing, as recited in Claim 1, further including a server (50) connected to said wide area network (8), said server (50) capable of receiving said identity and physical location information to create said user file (65).

10

5 6. A method of marketing, as recited in Claim 1, further including an additional step between steps (c) and (d) of determining the network connection activities of said electronic device (15) when connected to said wide area network (8), said network connection activities being added to said user file (65).

10 7. A method of marketing, as reciting in Claim 6, wherein the step of determining the network connection activities of said electronic device (15) is carried out by determining the existence of "cookies" on said electronic device (15).

8. A method of marketing, as recited in Claim 1, further including the step of
15 identifying the user of said electronic device (15).

9. A method of marketing, as recited in Claim 8, wherein said user file (65) contains user identification information and is used to transmit advertising to said electronic device (15).

20

10. A method of localized network marketing, comprising the following steps:
 a. identifying an electronic device (15) having means to make a wireless connection to a wide area network (8);
 b. identifying a user of said electronic device (15);
25 c. determining the physical location of said electronic device (15) when connected to said wide area network (8);
 d. determining the network connection activities of said electronic device (15);
 e. creating a user file (65) containing information of the identity of said
30 electronic device (15), and the physical location of said electronic device when connected to said wide area network (8);
 f. selecting advertising material (75); and
 g. transmitting said advertising material (75) over said wide area network (8) using the identity and physical location information in said user file (65).

35

11. A method of marketing, as recited in Claim 10, further including a server (50) connected to said wide area network (8), said server (50) capable of receiving said

11

5 identity and physical location information to create said user file (65).

12. A method of advertising, as recited in Claim 11, the step (c) of determining the physical location of said electronic device (15) is accomplished using a global positioning satellite system (20) which provides global coordinate information of said
10 electronic device (15).

13. A method of advertising as recited in Claim 12 wherein step (d) is carried out using information transmitted by said electronic device (15) when connected to said wide area network (8).
15

14. A method of marketing, as recited in Claim 11, wherein said step (c) is carried out by a cellular telephone system capable of determining the physical location of a cellular telephone used to connect to said wide area network (8).

20 15. A method of marketing, as recited in Claim 11, wherein said server (50) is also the network service provider that provides said electronic device (15) access to said wide area network (8).

16. A method of marketing, as recited in Claim 15, wherein said step (a) of
25 identifying said electronic device (15) is accomplished by determining the numerical address assigned to said electronic device (15) by said server (50).


17. A method of marketing, as recited in Claim 11, wherein said step (a) of identifying said electronic device (15) is accomplished using client software to transmit
30 identification information.

18. A method of marketing, as recited in Claim 15, wherein said server collects said network connection activities information and adds it to said user file (65).

35 19. A method of marketing, as recited in Claim 15, wherein said server collects personal data of said user of said electronic device (15) and adds it to said user file (65).

12

- 5 20. A method of localized network marketing, comprising the following steps:
- a. identifying an electronic device (15) having means to make a wireless connection to a wide area network (8);
 - b. identifying the user (10) of said electronic device (15);
 - c. determining the physical location of said electronic device (15) when
10 connected to said wide area network (8);
 - d. determining the network connection activities of said electronic device (15);
 - e. creating a user file (65) containing information of the identity of said electronic device (15), the identity of said user (10) and the physical location of said
15 electronic device (15) when connected to the wide area network (8);
 - f. selecting advertising material (75) to be sent to the user (10); and
 - g. transmitting said advertising material (75) to said user (10) over said wide area network (8) using the electronic device identity, user identity and physical location information in said user file (65).
- 20
21. A method of marketing, as recited in Claim 20, further including a server (50) connected to said wide area network (8), said server (50) capable of receiving said identity and physical location information to create said user file (65).
- 25
22. A method of marketing as recited in Claim 20 wherein step (c) is carried out using information transmitted by said electronic device (15) when connected to said wide area network (8).
- 30
- 35

FIG. 1

